

## 2019 - SHOW RULES AND REGULATIONS

### THE SHOW

#### 1. General information

An orchid show will be presented by The **Orchid Society of Royal Botanical Gardens** at the Royal Botanical Gardens, 680 Plains Road West, Burlington, Ontario, on **February 23 – February 24, 2019**.

**Presentation of awards/trophies will take place 5:15 p.m., after doors close to the public, on Saturday, February 23, 2019.**

#### 2. Exhibit set-up and takedown

- Exhibitors must set-up exhibits on the Friday before the show.
- The main area of exhibition and the Auditorium Sales Area will be available from 10:30 a.m. until 10:00 pm. Storage area for orchid plants for displays will be provided.
- **Registration will be open from noon to 8:00 p.m.** Subsequent entries will be exhibited but not judged. **It is strongly advised that early registration of plants be forwarded by e-mail to Linda Will at [willfamily@cogeco.ca](mailto:willfamily@cogeco.ca) no later than 9:00 PM, Thursday, February 21, 2019.**
- **All exhibits must be left in place until 5.00pm, Sunday, February 24, 2019.**

#### 3. Exhibition

- Each exhibitor agrees, upon registration, to abide by the Rules and Regulations of the Show.
- Commercial exhibitors are required to place an exhibit in the Show.
- Group exhibit Class A1 is not open to commercial exhibitors.
- Display space must be reserved through the **Show Chairman: Ben Boers, 26 Kimber Road, Lowbanks, ON, N0A 1K0. Email [bmboers@hotmail.com](mailto:bmboers@hotmail.com), Phone 905 979 4886.**
- Reasonable effort will be made to provide the space requested, but the Show Committee reserves the right to limit space allocated to individual exhibitors.
- There are no fees to the exhibitor for entries.
- There is no assistance in setting up exhibits.
- Neither the Royal Botanical Gardens nor the Orchid Society of Royal Botanical Gardens is responsible for the loss of or damage to plants, blooms, corsages, containers, or other property of exhibitors. However, every precaution will be taken to ensure their safety.

#### 4. Shipped in materials

All shipments of plants, cut flowers or exhibit materials to be displayed at the show, must be received no later than the Thursday, before the show. **These display materials must be sent postpaid to Orchid Society of Royal Botanical Gardens c/o Show Chair Orchid Society Annual Show. Please first contact via E-mail for acceptance of shipment.** In the event the exhibitor cannot be present, the Show Committee will do its best to display the material to advantage. If return of the material is requested, it will be returned at the exhibitor's expense. All exhibits not claimed by the exhibitor, or the disposal of which are not specified, will be distributed by the Show Committee.

## 5. Display Specifications

- Standard rectangular tables are provided; however, any other cloths, backgrounds, foliage plants etc., must be furnished by the exhibitors.
- Foliage plants, moss, etc. may supplement exhibits, but no artificial or dyed moss, flowers, or foliage of any kind may be permitted, with the exception of artificial grass as a floor covering. Plants in flower or cut flowers other than orchids will not be permitted in an exhibit.
- No cut flowers will be permitted in flowering exhibits, and no flowering plants will be permitted in cut flower exhibits.
- All plants or cut flowers exhibited must be properly labeled. Identification of the owner is not allowed until judging is completed.
- Any lighting used for effect is the responsibility of and must be furnished by the exhibitor. Effect lighting, not colour corrected, may be turned off until after the judging.
- As hosting society, we will provide all cards displaying exhibitors' names. No other identification signs will be permitted.
- For the purpose of this show, 'amateur' is defined as any person who has not sold more than a total of one hundred (100) plants and/or blooms or ten (10) flower arrangements in the last year. 'Junior' is defined as any person who is aged nineteen (19) or younger.

## JUDGING

### 1. General information

#### **AOS Judging**

An American Orchid Society (A.O.S.) sanctioned show must comply with the current rules of the American Orchid Society **Handbook on Judging and Exhibition** and any interim rules issued by the **A.O.S. Judging Committee**. At the show, there must be three or more judges accredited by the American Orchid Society (A.O.S.). The decisions of these judges will be final.

#### **Show Ribbon Judging**

Only properly authorized persons will be permitted in the show area during judging. All judges and clerks are expected to familiarize themselves with the show rules. All registered plants and flowers will be considered for recognition based on present quality, without regard to previous awards. To maintain highly competitive standards, no trophies or other recognition will be awarded if, in the judge's opinion, the flower, plant or exhibit does not warrant such recognition. Entries not in accordance with the schedule shall be disqualified, and the Show Committee reserves the right to remove all inferior exhibits or any part of them. Judges may subdivide or add additional classes or awards at their discretion. Honorable Mention ribbons may be awarded at the judges' discretion. All questions regarding the interpretation of these rules or regulations shall be referred to the Judging Chair for a decision. Any plants sold, that are part of an exhibit, shall not be removed from the exhibit before the show is closed.

### 2. A.O.S. Awards

This show has been approved for A.O.S. judging. All flowers, whether entered for ribbon judging or not, will be considered for A.O.S. awards unless otherwise marked by the exhibitor. **If the flowers have previously been exhibited at an A.O.S. approved function, they are considered to have been screened and therefore, are not eligible for further consideration. They should be marked, "Not for A.O.S. judging".** This will not disqualify the flower from consideration in the proper ribbon or trophy class. Submission of plants or cut flowers for judging shall obligate the exhibitor to accept any award granted and to pay any fees connected with such an award except where (s)he has clearly indicated before the judging that this entry is not to be A.O.S. judged.

### **3. Ribbon judging**

First, second and third place ribbons may be awarded to the best entries in each class other than a trophy class. An honorable mention ribbon award may be offered when, in the opinion of the judges, additional recognition is merited. All plants and cut flowers must be correctly entered in the appropriate class, or reclassified by a judge, to be eligible for ribbon judging. Exhibitors will enter their plants using computer-generated tags. After completing the registration of the material, the computer-generated tag goes on the plant. Entry lists should show plant parentage, clonal name, if assigned, and previous awards, if any, to the clone. (See section on Entry of Plants and Exhibits). Each plant should be entered into one class only except that an individual plant or cut flower may be entered in only one of classes 100 – 990 and in class 1010 or 1030. An official copy of the correct entry classes to enter your plants is available at the entry desk. Where a plant could conceivably fit into more than one class, the exhibitor shall enter it into the first applicable class listed. A mericlone is considered a vegetative division of the original plant and must be treated as such. If a plant is a mericlone, it should be so designated and the clonal name given. Species classes will include natural hybrids. Criteria employed in ribbon class definitions refer to characteristics prevailing for mature plants grown according to normal horticultural practices.

### **4. Reclassifying entries**

Improperly entered plants/exhibits may be either reclassified or disqualified at the discretion of the judges.

### **5. Trophy eligibility**

Unless otherwise specified in this schedule, all exhibitors in this show are eligible for all trophies if the exhibit is properly entered and complies with the show rules.

### **6. Plant and flower trophies**

In order to be eligible for any special trophies, plants and exhibits must be entered for ribbon judging. No separate entry is required.

### **7. Exhibit trophies**

All exhibits must be entered to be eligible for judging. The computer produced entry tag goes on the exhibit. All registered exhibits are eligible for the A.O.S. Show Trophy and will be judged in accordance to the criteria in the current **A.O.S. Handbook on Judging and Exhibition.**

## CLASSIFICATION

1. Entries not in accordance with the schedule may be disqualified, and the Show Committee reserves the right to remove all inferior plants and/or exhibits at any time.
2. In general, plants should be entered in the first applicable class. If in doubt, see the Mid-America Classification Schedule available at the registration desk. All plants **must** be in flower unless a class specifies otherwise.
3. A meristem plant or cut flower may **not** be entered as a seedling blooming for the first time.
4. For purposes of this schedule, the word "hybrid" means a cross made with the genus listed, unless preceded by the word "intergeneric", in which case, two or more different genera are used in the cross.
5. The appropriate class for intergeneric hybrids shall be the first class for intergeneric crosses, which lists one of the genera making up the hybrids. (See lists of genera belonging to each class at the registration desk.)
6. The same exhibit cannot be entered in more than one class. Any individual plant or cut flower can be entered in one of classes 100 – 990 and in class 1010 or 1030.
7. For the purpose of this show, an amateur is defined as any person who has not sold more than a total of one hundred (100) plants and/or flowers in the last year. A junior is defined as any person aged nineteen (19) or younger.
8. **Colour Definition:**
  - a.) In general, **blush colours** and **two-toned** flowers should be entered in the "**Other Colours**" classifications with the exception of *Phalaenopsis*, which has a dedicated blush class.
  - b.) Colour in both ***Phalaenopsis*** and ***Paphiopedilum*** hybrids is based on the dominant colour of the face of the flower.

## ENTRY OF PLANTS AND EXHIBITS

1. Read the show Rules & Regulations. It is your responsibility to follow them or risk disqualification.
2. The EXHIBIT #. is the number on your designated area.
3. Each Exhibitor within an Exhibit must have a separate OWNER NO. in order to enter plants for judging.
4. Make a list of plants to be judged, giving parentage for all hybrids and showing the class number into which you wish them entered. Also, state any previous awards. PLEASE type or print LEGIBLY, our staff is not trained in hieroglyphics & will return any illegible entries.

5. When the computer lists are returned, please check thoroughly. Errors and omissions are your responsibility. Fasten the tags to the appropriate plants.
6. The current Mid-America class list for genera along with other references to assist you in entering your plants into the correct classes will be available at the plant registration desk. **WHEN IN DOUBT, ASK FOR HELP!!!**
7. Plant registration lists (form available at [www.orsrbg.ca](http://www.orsrbg.ca) and follow the links to Annual Show) may be submitted by E-mail no later than 9:00 PM, Thursday February 21, 2019 to: Linda Will, E-mail: [willfamily@cogeco.ca](mailto:willfamily@cogeco.ca).

## **AWARDS**

1. American Orchid Society Awards: FCC, AM, HCC, CCM, and others may be given to qualifying plants.
2. The American Orchid Society Show Trophy may be awarded under the provisions of the Judging Handbook to the best display in show.
3. The Canadian Orchid Congress Award may be awarded to the most meritorious orchid plant in the OSRBG display, displayed by an individual amateur grower who is a member in good standing of the Orchid Society of the Royal Botanical Gardens.
4. Best of Show may be awarded at the discretion of the judges upon the merit of such an entry.
5. Best Display Trophies may be awarded to the best exhibition in each of classes 1 – 4 of the group exhibits.
6. Best Educational Exhibit
7. Best Display by an Amateur
8. Best Society Display in each of classes 7, 8
9. Wayne Eyles Memorial Award for Best Display by a Junior (19 yrs & under)
10. Best Cattleya Alliance Species (Classes 100-160)
11. Best Cattleya Alliance Hybrid (Classes 170-260)
12. Gary Schreiber Memorial Award for Best Paphiopedilum Species (Classes 270-292)
13. Best Paphiopedilum Hybrid (Classes 300-370)
14. Best Phragmipedium Species (Class 401-403)
15. Best Phragmipedium Hybrid (Classes 411-414)

16. Best Cypripedium Alliance (Class 420)
17. Best Phalaenopsis / Doritis Species (Class 430)
18. Best Phalaenopsis / Doritis Hybrid (Classes 440-572)
19. Best Vanda Alliance (Classes 580-690)
20. John Kafka Memorial Award for Best Brassia (Class 700)
21. Best Oncidium Alliance (Classes 710-780)
22. Best Cymbidium Alliance (Classes 790-810)
23. Best Dendrobium Alliance (Classes 820-880)
24. Mario Ferrusi Memorial Award for Best Pleurothallid Alliance (Classes 890-920)
25. Best Lycaste Alliance (Class 930)
26. Best Maxillaria & Catasetum Alliance (Classes 940-960)
27. Best of Classes (Classes 970-990)
28. Best Specimen Plant (Class 1030)
29. Best Plant in Show (Class 1040)

## SCHEDULE OF CLASSES

<b>EXHIBITS</b>
<b>A. Open Competition</b>
<b>Trophy: Best Exhibit in <u>each</u> of Classes 1 – 4</b>
1. Display of 1 - 5 flowering orchid plants arranged for effect.
2. Display of 6 - 15 flowering orchid plants arranged for effect.
3. Display of 16 - 25 flowering orchid plants arranged for effect.
4. Display of more than 25 flowering orchid plants arranged for effect.
<b>Trophy: Best Educational Exhibit</b>
5. Educational exhibits, <b>not</b> previously exhibited, no space limitation.
<b>Trophy: Best Exhibit by an Amateur</b>
6. Display of orchid plants arranged for effect by an amateur.
<b>B. Orchid Societies affiliated with American Orchid Society</b>
<b>Trophy: Best Visiting Orchid Society Exhibit in <u>each</u> of Classes 7 – 8.</b>
7. Display of 1 - 15 flowering orchid plants or cut inflorescences.
8. Display of more than 15 flowering orchid plants or cut inflorescences.
<b>C. Junior Exhibit</b>
<b>Trophy: Best Junior Exhibit</b>
9. Display of flowering orchid plants by an individual 19 years or younger.
<b>FLOWERS: OPEN COMPETITION</b>
<b>D. Cattleya Alliance</b>
<b>Trophy: Best Cattleya Alliance Species (Classes 100 – 160)</b>
100. Epidendrum, Encyclia and Prosthechea species.
110. Epidendrum, Encyclia and Prosthechea hybrids and intergenerics, but excluding Cattleya and Guarianthe.
120. Brassavola and Rhyncholaelia species, hybrids and intergenerics other than above but excluding Cattleya and Guarianthe.
130. Broughtonia species, hybrids and intergenerics other than above, but excluding Cattleya and Guarianthe.
140. Traditional Laelia and Sophronitis species and hybrids.

150. Cattleya and Guarianthe species.
160. Cattleya allied genera – species other than above.
<b>Trophy: Best Cattleya Alliance Hybrid (Classes 170 – 260)</b>
170. Cattleya and Guarianthe hybrids and intergenerics other than above – Lavender/Mauve, flowers 10cm or less in natural spread.
180. Cattleya and Guarianthe hybrids and intergenerics other than above – Lavender/Mauve, flowers larger than 10cm in natural spread.
190. Cattleya and Guarianthe hybrids and intergenerics other than above – White.
200. Cattleya and Guarianthe hybrids and intergenerics other than above – Semi-alba.
210. Cattleya and Guarianthe hybrids and intergenerics other than above – Yellow, Orange - flowers 10 cm or less in natural spread.
220. Cattleya and Guarianthe hybrids and intergenerics other than above – Yellow, Orange - flowers larger than 10 cm in natural spread.
230. Cattleya and Guarianthe hybrids and intergenerics other than above – Red / Red Shades.
240. Cattleya and Guarianthe hybrids and intergenerics other than above – splash petal/ other colours.
250. Cattleya allied genera – species, hybrids and intergenerics other than above.
260. Cattleya and allied genera – miniature species, hybrids and intergenerics <b><u>Note: - Miniature refers to plants of 25 cm or less total height excluding inflorescence(s) and not entered in any of the above classes.</u></b>
<b>E. Cypripedium Alliance</b>
<b>Trophy: Best Paphiopedilum Species (Classes 270 – 292)</b> <b><u>Colour in Paphiopedilum hybrids is based on the dominant colour of the face of the flower.</u></b>
270. Paphiopedilum species – <i>Parvisepalum</i> and <i>Brachypetalum</i> sections.
280. Paphiopedilum species – <i>Insigne</i> and <i>Barbatum</i> sections.
291. Paphiopedilum species – <i>Corypetalum</i> and <i>Pardalopetalum</i> sections (multifloral).
292. Paphiopedilum species – <i>Cochlopetalum</i> section (sequentially flowering).
<b>Trophy: Best Paphiopedilum Hybrid (Classes 300 – 370) NOTE:1</b>
300. Paphiopedilum hybrids – <i>Brachy/Parvi</i> hybrids.
310. Paphiopedilum hybrids – Maudiae or cruciform type – white/pink/green/yellow.
320. Paphiopedilum hybrids – Maudiae or cruciform type, other colours except vinicolors.
330. Paphiopedilum hybrids – multifloral.
340. Paphiopedilum hybrids – sequential flowering.
350. Paphiopedilum hybrids – full round shape – white/pink/green/yellow.
360. Paphiopedilum hybrids – full round shape – other colours except vinicolors.
370. Paphiopedilum hybrids – vinicolors.
<b>NOTE: 1</b> Brachypetalum: <i>P. bellatulum</i> , <i>P. concolor</i> , <i>P. godfroyae</i> , <i>P. niveum</i> Parvisepalum: <i>P. armeniacum</i> <i>P. delanatii</i> , <i>P. emersonii</i> , <i>P. malipoense</i> , <i>P. micranthum</i> , <i>P. hangianum</i>



Paphiopedilum: <i>P. barberigerum</i> , <i>P. charlesworthii</i> , <i>P. druryi</i> , <i>P. exul</i> , <i>P. fairreanum</i> , <i>P. hirsutissimum</i> , <i>P. gratixianum</i> , <i>P. insigne</i> , <i>P. spicerianum</i> , <i>P. villosum</i>
Barbata: <i>P. acmodontum</i> , <i>P. appletonianum</i> , <i>P. argus</i> , <i>P. barbatum</i> , <i>P. bougainvilleanum</i> , <i>P. bullenianum</i> , <i>P. callosum</i> , <i>P. ciliolare</i> , <i>P. dayanum</i> , <i>P. helenae</i> , <i>P. hennisianum</i> , <i>P. hookerae</i> , <i>P. javanicum</i> , <i>P. lawrencianum</i> , <i>P. mastersianum</i> , <i>P. papuanum</i> , <i>P. purpuratum</i> , <i>P. sukhakuli</i> , <i>P. superbiens</i> , <i>P. tonsum</i> , <i>P. urbanianum</i> , <i>P. venustum</i> , <i>P. violascens</i> , <i>P. wardii</i> , <i>P. wentworthianum</i>
Pardalopetalum: <i>P. dianthum</i> , <i>P. haynaldianum</i> , <i>P. lowii</i> , <i>P. parishii</i>
Coryopedilum: <i>P. adductum</i> , <i>P. gladuliformum</i> , <i>P. kalopakingii</i> , <i>P. philippinense</i> , <i>P. randsii</i> , <i>P. rothschildianum</i> , <i>P. sanderianum</i> , <i>P. stonei</i> , <i>P. supardii</i>
Cochlopetalum: <i>P. glaucophyllum</i> , <i>P. liemianum</i> , <i>P. primulinum</i> , <i>P. victoria-mariae</i> , <i>P. victoria-reginae</i>
<b>Trophy: Best Phragmipedium Species (Class 401 – 403)</b>
401. Phragmipedium species – Pink/Red/Yellow/Orange – short petal types.
402. Phragmipedium species – Green/Brown – short petal types. <b>Petals must be less than 15 centimeters</b>
403. Phragmipedium species – long petal types (e.g. <i>caudatum</i> ). <b>Petals must be a minimum of 15 centimeters or more.</b>
<b>Trophy: Best Phragmipedium Hybrid (Classes 411 – 414)</b>
411. Phragmipedium hybrids – Pink/White – short petal types.
412. Phragmipedium hybrids – Red/Yellow/Orange (e.g. <i>besseae</i> hybrids) – short petal types.
413. Phragmipedium hybrids – Green/Brown – short petal types.
414. Phragmipedium hybrids – long petal types (e.g. <i>caudatum</i> hybrids).
<b>Trophy: Best Cypripedium Alliance (Class 420)</b>
420. Cypripedium and allied genera – species, hybrids and intergenerics, other than above.  Includes: Cypripedium, Mexipedium, Selenipedium
<b>F. Vanda and Phalaenopsis Alliance</b>
<b>Trophy: Best Phalaenopsis / Doritis Species (Class 430)</b>
430. Phalaenopsis and Doritis species.
<b>Trophy: Best Phalaenopsis Hybrid IPA (Classes 440 – 572)</b> <b><u>Colour in Phalaenopsis hybrids is based on the dominant colour of the FACE of the flower.</u></b>
440. Phalaenopsis hybrids and Doritaenopsis – White, no markings.
450. Phalaenopsis hybrids and Doritaenopsis – White with colored lip, no markings.
461. Phalaenopsis hybrids and Doritaenopsis – White with non-harlequin markings.
462. Phalaenopsis hybrids and Doritaenopsis – White with harlequin markings.
470. Phalaenopsis hybrids and Doritaenopsis – White with/without markings, flower natural spread 4.5cm (~1¾”) or less.
480. Phalaenopsis hybrids and Doritaenopsis – Pink, no markings.

490. Phalaenopsis hybrids and Doritaenopsis – Pink with markings.
500. Phalaenopsis hybrids and Doritaenopsis – Pink with/without markings, flower natural spread 4.5cm (~1¾”) or less.
510. Phalaenopsis hybrids and Doritaenopsis – Yellow, no markings.
521. Phalaenopsis hybrids and Doritaenopsis – Yellow with non-harlequin markings.
522. Phalaenopsis hybrids and Doritaenopsis – Yellow with harlequin markings.
530. Phalaenopsis hybrids and Doritaenopsis – Yellow with/without markings, flower natural spread 4.5cm (~1¾”) or less.
540. Phalaenopsis hybrids and Doritaenopsis – Other colors, no markings.
550. Phalaenopsis hybrids and Doritaenopsis – Other colors with markings.
560. Phalaenopsis hybrids and Doritaenopsis – Other colors with/without markings, flower natural spread 4.5cm (~1¾”) or less.
570. Phalaenopsis hybrids and Doritaenopsis, Blushes.
<b>Trophy: Best Vanda Alliance (Classes 580 – 690)</b>
580. Aerangis species, hybrids and intergenerics.
590. Angraecum and Aeranthes species, hybrids and intergenerics other than above.
600. Vanda species and hybrids formerly known as <b>Neofinetia, in flower.</b>
610. Vanda hybrids and intergenerics, Orange / Yellow, flowers 3.5cm (~1¼”) or less.
620. Vanda hybrids and intergenerics, Orange / Yellow, flowers larger than 3.5cm (~1¼”).
630. Vanda hybrids and intergenerics, Red / Pink / Purple, flowers 3.5cm (~1¼”) or less.
640. Vanda hybrids and intergenerics, Red / Pink / Purple, flowers larger than 3.5cm (~1¼”).
650. Vanda hybrids and intergenerics, Other Colours, flowers 3.5cm (~1¼”) or less.
660. Vanda hybrids and intergenerics, Other Colours, flowers larger than 3.5cm (~1¼”).
670. Rhynchostylis species, hybrids and intergenerics other than above.
681. Renanthera and Aerides species, hybrids and intergenerics other than above.
682. Vegetative Vanda and allied genera species, hybrids and intergenerics grown for their foliage ( <b>without</b> flowers).
690. Vanda allied genera – species, hybrids and intergenerics, other than above.
<b>G. Oncidium Alliance</b>
<b>Trophy: Best Brassia (Class 700)</b>
700. Brassia species, hybrids and intergenerics.
<b>Trophy: Best Oncidium Alliance (Classes 710 – 780)</b>
<b>Oncidium classes are based on flower size not on ‘traditional’ groupings except for Brassia, Miltonia, Miltoniopsis and Tolumnia.</b>
710. Miltonia / Miltoniopsis species and hybrids.
720. Miltonia / Miltoniopsis intergenerics, other than above.
730. Oncidium and allied genera species, other than above except Tolumnia (equitants), flowers 2.5cm (~1”) or less.
740. Oncidium and allied genera species, other than above except Tolumnia (equitants), flowers larger than 2.5cm (~1”).
750. Tolumnia (equitant Oncidium) species and hybrids.

760. Oncidium hybrids and allied genera hybrids and intergenerics other than above, flowers 2.5cm (~1”) or less.
771. Oncidium hybrids and allied genera hybrids and intergenerics other than above, flowers larger than 2.5cm (~1”).
772. No entries.
780. No entries.
<b>H. Cymbidium Alliance</b>
<b>Trophy: Best Cymbidium Alliance (Classes 790 – 810)</b>
790. Cymbidium species with flowers.
801. Cymbidium hybrids with flowers.
802. Vegetative Cymbidium species and hybrids other than above, grown for their foliage (with or without flowers).
810. Cymbidium allied genera – species, hybrids and intergenerics, other than above.
<b>I. Dendrobium Alliance</b>
<b>Trophy: Best Dendrobium Alliance (Classes 820 – 880)</b>
820. Dendrobium species, Nobile type.
830. Dendrobium species, Phalaenopsis and Antelope types.
840. Dendrobium species, other types.
850. Dendrobium hybrids, Nobile type.
870. Dendrobium hybrids, other types.
880. Dendrobium allied genera – species, hybrids and intergenerics, other than above.
<b>J. Miscellaneous Genera</b>
<b>Trophy: Best Pleurothallid Alliance (Classes 890 – 920)</b>
890. Masdevallia and Dracula species.
900. Masdevallia and Dracula hybrids and intergenerics.
910. Pleurothallis species, hybrids and intergenerics other than above.
920. Pleurothallis allied genera – species, hybrids and intergenerics other than above.
<b>Trophy: Best Lycaste (Class 930)</b>
930. Lycaste, Sudamerlycaste (Ida), Anguloa – species, hybrids and intergenerics.
<b>Trophy: Best Maxillaria &amp; Catasetum Alliance (Classes 940 – 960)</b>
940. Maxillaria species, hybrids and intergenerics other than above.
950. Zygopetalum and allied genera – species, hybrids and intergenerics other than above.
960. Catasetum, Cycnoches, Mormodes and allied genera – species, hybrids and intergenerics.

<b>Trophy: Best of Classes 970 – 990</b>
970. Bulbophyllum and allied genera – species, hybrids and intergenerics.
981. Jewel orchid species and hybrids (with or without flowers).
982. Vegetative orchids grown for their foliage other than above (with or without flowers).
983. Orchid species not covered elsewhere.
990. Orchid hybrids and intergenerics not covered elsewhere.
1000. Miniature species, hybrids and intergenerics – Classes 270 through 990 other than Cattleya and allied genera (covered in class 260) and not entered elsewhere.
<b><i>Note: Miniature is defined as naturally occurring diminutive plants with flowers, not exceeding 15cm (6”) in growth excluding inflorescence(s).</i></b>
1010. Seedling flowering for the first time – Classes 100 through 990.
<b>Trophy: Best Specimen Plant (Class 1030)</b>
1030. Specimen plants.
<b>Trophy: Best Plant in Show</b>